


COMPLETE LISTING OF PENDING CLAIMS

1. (original) A compound of the formula



where a wavy line represents a bond in the up or in the down configuration,

a dashed arrow represents a bond in the down configuration,

a solid arrow represents a bond in the up configuration,

R₁ is H, methyl, or ethyl, fluoro-substituted methyl or fluoro-substituted ethyl;


R₂ is *normal* alkyl of 1 to 4 carbons, fluoro-substituted *normal* alkyl of 1 to 4 carbons, CH₂OCH₃, CH₂-O-CH₂-CH₃, CH₂-O-CH₂-OCH₃, CH₂-CH₂-O-CH₃, CH₂SCH₃, CH₂-S-CH₂-CH₃, CH₂-S-CH₂-OCH₃, CH₂-CH₂-S-CH₃, CH₂-S-CH₂-S-CH₃, CH₂-O-CH₂-S-CH₃, CH₂NHCH₃, CH₂-NH-CH₂-CH₃, CH₂-NH-CH₂-OCH₃, CH₂-CH₂-NH-CH₃, CH₂-O-CH₂-NHCH₃;

R₃ is H or F;


R₄ is H, alkyl of 1 to 3 carbons;

R_5 is H, alkyl of 1 to 6 carbons, OCH_2OR_6 or OCH_2OCOR_6 where R_6 is alkyl of 1 to 3 carbons, and


R is selected from the groups consisting of the radicals defined by **formulas (a) through (f)**




Formula (a)




Formula (b)




Formula (c)



Formula (d)



Formula (e)



Formula (f)

where the dashed line in a ring represents a bond, or absence of a bond,

a * denotes a ring carbon to which the pentadienoyl-cyclopropyl group is attached, with the proviso that the pentadienoyl-cyclopropyl group is attached to only one carbon on the ring;

X_1 is O or S attached to the adjacent carbon with a double bond, or X_1 represents two hydrogens or R_7 groups attached to the adjacent carbon;

X_2 is O or S;

m is an integer having the values 0 to 6;

n is an integer having the values 0 to 3;

o is an integer having the values 0 or 1;

R_7 is independently H, alkyl of 1 to 6 carbons, F, Cl, Br or I;

R_8 is independently H, alkyl of 1 to 6 carbons, F, Cl, Br, I, OC_{1-6} alkyl or SC_{1-6} alkyl,

R_9 is H or alkyl of 1 to 6 carbons, or a pharmaceutically acceptable salt of said compound.

2. (original) A compound in accordance with Claim 1 where R_2 is CH_2OCH_3 or $CH_2OCH_2CH_3$.

3. (original) A compound in accordance with Claim 1 where R_7 is alkyl of 1 to 6 carbons.

4. (original) A compound in accordance with Claim 1 where R_8 is H or alkyl of 1 to 6 carbons.

5. (original) A compound in accordance with Claim 1 where R is represented by **formula (a)**.

6. (original) A compound in accordance with Claim 5 where the dashed line in **formula (a)** represents absence of a bond, and where **o** is one (1).

7. (original) A compound in accordance with Claim 6 where R_2 is CH_2OCH_3 or $CH_2OCH_2CH_3$.

8. (original) A compound in accordance with Claim 6 where R_7 is alkyl of 1 to 6 carbons.

9. (original) A compound in accordance with Claim 6 where R_8 is H or alkyl of 1 to 6 carbons.

10. (original) A compound in accordance with Claim 1 where R is represented by **formula (b)**.

11. (original) A compound in accordance with Claim 10 where R_2 is CH_2OCH_3 or $CH_2OCH_2CH_3$.

12. (original) A compound in accordance with Claim 10 where R_7 is alkyl of 1 to 6 carbons.

13. (original) A compound in accordance with Claim 10 where R_8 is H or alkyl of 1 to 6 carbons.


14. (original) A compound in accordance with Claim 1 where R is represented by **formula (c)**.

15. (original) A compound in accordance with Claim 1 where R is represented by **formula (d)**.

16. (original) A compound in accordance with Claim 1 where R is represented by **formula (e)**.

17. (original) A compound in accordance with Claim 1 where R is represented by **formula (f)**.

18. (original) A compound of the formula



where a wavy line represents a bond in the up or in the down configuration,

a dashed arrow represents a bond in the down configuration,

a solid arrow represents a bond in the up configuration,

R_1 is H, methyl, or ethyl, fluoro-substituted methyl or fluoro-substituted ethyl;


R_{10} is CH_3 , CH_2-CH_3 , or CH_2-OCH_3 ,

R_3 is H or F;


R_4 is H, alkyl of 1 to 3 carbons;

R_5 is H, alkyl of 1 to 6 carbons, OCH_2OR_6 or OCH_2OCOR_6 where R_6 is alkyl of 1 to 3 carbons, and

R is selected from the groups consisting of the radicals defined by **formulas (g) and (h)**



formula (g)



formula (h)

where a * denotes a ring carbon to which the pentadienoyl-cyclopropyl group is attached, with the proviso that the pentadienoyl-cyclopropyl group is attached to only one carbon on the ring;

m is an integer having the values 0 to 8;


n is an integer having the values 0 to 3;

R_7 is independently H, alkyl of 1 to 6 carbons, F, Cl, Br or I;

R_8 is independently H, alkyl of 1 to 6 carbons, F, Cl, Br, I, OC_{1-6} alkyl or SC_{1-6} alkyl, or a pharmaceutically acceptable salt of said compound.


19. (original) A compound in accordance with Claim 18 where R is represented by **formula (g)**.

20. (original) A compound in accordance with Claim 19 where R is represented by the formula




where the * denotes a ring carbon to which the pentadienoyl-cyclopropyl group is attached.

21. (original) A compound in accordance with Claim 18 where **R** is represented by the formula



where the * denotes a ring carbon to which the pentadienoyl-cyclopropyl group is attached.

22. (original) A compound of the formula



where a wavy line represents a bond in the up or in the down configuration,

a dashed arrow represents a bond in the down configuration,

a solid arrow represents a bond in the up configuration,

R₁₀ is methyl or ethyl, and

R₅ is H, alkyl of 1 to 6 carbons, OCH₂OR₆ or OCH₂OCOR₆ where **R₆** is alkyl of 1 to 3 carbons, or a pharmaceutically acceptable salt of said compound.

23. (original) A compound in accordance with Claim 22 where the wavy line represents a bond in the up configuration.

24. (original) A compound in accordance with Claim 23 where **R₁₀** is methyl.

25. (original) A compound in accordance with Claim 24 where **R₅** is H, ethyl, or a pharmaceutically acceptable salt of said compound.

26. (original) A compound in accordance with Claim 23 where **R₁₀** is ethyl.

27. (original) A compound in accordance with Claim 26 where **R₅** is H, ethyl, or a pharmaceutically acceptable salt of said compound.

28. (original) A compound in accordance with Claim 22 where the wavy line represents a bond in the down configuration.


29. (original) A compound in accordance with Claim 28 where **R₁₀** is methyl.

30. (original) A compound in accordance with Claim 29 where **R₅** is H, ethyl, or a pharmaceutically acceptable salt of said compound.

31. (original) A compound in accordance with Claim 28 where **R₁₀** is ethyl.

32. (original) A compound in accordance with Claim 31 where **R₅** is H, ethyl, or a pharmaceutically acceptable salt of said compound.

33. (original) A compound of the formula



where a wavy line represents a bond in the up or in the down configuration,

a dashed arrow represents a bond in the down configuration,

a solid arrow represents a bond in the up configuration,

R_{10} is methyl or ethyl, and

R_5 is H, alkyl of 1 to 6 carbons, OCH_2OR_6 or OCH_2OCOR_6 where R_6 is alkyl of 1 to 3 carbons, or a pharmaceutically acceptable salt of said compound.

34. (original) A compound in accordance with Claim 33 where the wavy line represents a bond in the up configuration.

35. (original) A compound in accordance with Claim 34 where R_{10} is methyl.

36. (original) A compound in accordance with Claim 35 where R_5 is H, ethyl, or a pharmaceutically acceptable salt of said compound.

37. (original) A compound in accordance with Claim 34 where R_{10} is ethyl.


38. (original) A compound in accordance with Claim 37 where R_5 is H, ethyl, or a pharmaceutically acceptable salt of said compound.

39. (original) A compound in accordance with Claim 33 where the wavy line represents a bond in the down configuration.

40. (original) A compound in accordance with Claim 39 where R_{10} is methyl.

41. (original) A compound in accordance with Claim 40 where R_5 is H, ethyl, or a pharmaceutically acceptable salt of said compound.

42. (original) A process for administering to a diabetic mammal to reduce the serum glucose level of said mammal a compound of the formula



where a wavy line represents a bond in the up or in the down configuration,

a dashed arrow represents a bond in the down configuration,

a solid arrow represents a bond in the up configuration,

R_1 is H, methyl, or ethyl, fluoro-substituted methyl or fluoro-substituted ethyl;

R_2 is *normal* alkyl of 1 to 4 carbons, fluoro-substituted *normal* alkyl of 1 to 4 carbons, CH_2OCH_3 , $CH_2-O-CH_2-CH_3$, $CH_2-O-CH_2-OCH_3$, $CH_2-CH_2-O-CH_3$, CH_2SCH_3 , $CH_2-S-CH_2-CH_3$, $CH_2-S-CH_2-OCH_3$, CH_2-


CH₂-S-CH₃, CH₂-S-CH₂-S-CH₃, CH₂-O-CH₂-S-CH₃, CH₂NHCH₃, CH₂-NH-CH₂-CH₃, CH₂-NH-CH₂-OCH₃, CH₂-CH₂-NH-CH₃, CH₂-O-CH₂-NHCH₃;

R₃ is H or F;


R₄ is H, alkyl of 1 to 3 carbons;

R₅ is H, alkyl of 1 to 6 carbons, OCH₂OR₆ or OCH₂OCOR₆ where **R**₆ is alkyl of 1 to 3 carbons, and


R is selected from the groups consisting of the radicals defined by **formulas (a) through (f)**




Formula (a)




Formula (b)




Formula (c)



Formula (d)



Formula (e)



Formula (f)

where the dashed line in a ring represents a bond, or absence of a bond,

a * denotes a ring carbon to which the pentadienoyl-cyclopropyl group is attached, with the proviso that the pentadienoyl-cyclopropyl group is attached to only one carbon on the ring;

X₁ is O attached to the adjacent carbon with a double bond, or **X**₁ represents two hydrogens, or **R**₇ groups attached to the adjacent carbon;

X₂ is O or S;

m is an integer having the values 0 to 6;

n is an integer having the values 0 to 3;


o is an integer having the values 0 or 1;

R₇ is independently H, alkyl of 1 to 6 carbons, F, Cl, Br or I;

R₈ is independently H, alkyl of 1 to 6 carbons, F, Cl, Br, I, OC₁₋₆alkyl or SC₁₋₆alkyl,


R₉ is H or alkyl of 1 to 6 carbons, or a pharmaceutically acceptable salt of said compound.

43. (original) A process in accordance with Claim 42 where the compound used in the process is in accordance with the formula




where **R₁₀** is methyl or ethyl.

44. (original) A process in accordance with Claim 42 where the compound used in the process is in accordance with the formula




where R_{10} is methyl or ethyl.

45. (new) A compound of the formula



46. (new) A process in accordance with Claim 42 where the compound used has the formula



Respectfully submitted,

Gabor L. Szekeres

Gabor L. Szekeres, Reg. No. 28,675

Law Offices of Gabor L. Szekeres
8141 East Kaiser Blvd., Suite 112
Anaheim, California 92808
Telephone: (714) 998-3295
Facsimile: (714) 998-3296